

Zone 2 Planting Guide

| Zone 2 - Vegetable Or Herb | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sept | Oct | Nov | Dec |
|---|-----|-----|-----|-------|-------|-------|-----|-------|---------|-------|-----|-----|
| Arugula + Orach | | | | | | | | | | EARLY | | |
| Bean - Broad | | | | | | | | | | | | |
| Bean - Bush + Pole | | | | | | EARLY | | | | | | |
| Beet | | | | | EARLY | LATE | | | | EARLY | | |
| Broccoli + Broccoverde | | | | | | | | | | EARLY | | |
| Brussel Sprout | | | | | | | | | | | | |
| Cabbage | | | | | | | | | | EARLY | | |
| Carrot | | | | | | LATE | | | | EARLY | | |
| Cauliflower | | | | | | | | | | | | |
| Celery + Celeriac | | | | MID | | | | | | | | |
| Corn | | | | | | EARLY | | | | | | |
| Cucumbers | | | | | | | | | | | | |
| Eggplant | | | | LATE | | | | | | | | |
| Endive + Radicchio | | | | | MID | | | | | | | |
| Fennel | | | | | | | | | | | | |
| Garlic - Softneck | | | | | EARLY | | | | | | | |
| Garlic - Hardneck | | | | | | | | | | EARLY | | |
| Herb - Parsley + Parsley Root | | | | | | | | | | EARLY | | |
| Herb - Basil, Sage + Summer Savory | | | | | | | | | | EARLY | | |
| Herb - Oregano, Rosemary, Thyme + Mints | | | | | | | | | | | | |
| Herb - Cilantro + Dill | | | | | | | | | | | | |
| Herb - Chamomile | | | | | | | | | | | | |
| Kale + Collard | | | | | | | | | | EARLY | | |
| Kohlrabi | | | | | | | | EARLY | | EARLY | | |
| Leek | | | | | | | | | | | | |
| Lettuce | | | | MID | | | | | | | | |
| Melon | | | | | | MID | | | COVERED | | | |
| Onion | | | | | | | | | | | | |
| Onion - Scallions | | | | | | | | | | | | |
| Pac/Bok Choi + Tatsoi | | | | | | | | | | | | |
| Parsnip | | | | | | | | | | | | |
| Pea | | | | | MID | | | | | | | |
| Pepper | | | | | | | | | | | | |
| Potato | | | | | | | | | | | | |
| Radish | | | | | | | | LATE | | | | |
| Rutabaga | | | | | | | | | | | | |
| Spinach | | | | | | | | LATE | | | | |
| Summer Squash (ex: zucchini) | | | | | | | | | | | | |
| Swiss Chard | | | | MID | | | | | | | | |
| Tomato + Tomatillo | | | | EARLY | | | | | | | | |
| Turnip | | | | | | | | | | | | |
| Winter Squash (ex: butternut, pumpkin) | | | | | | | | | | | | |

Start Indoors 4-8 Weeks Before Last Frost Date

Direct Sow Into The Garden When Soil Temperature Has Warmed

Transplant Into The Garden

Re-Sow For Fall Harvest

Fall Seeding For Next Spring

Avg. Grow Season 90 days

Minimum temp.:

-46°C to -40°C

Last Frost: May 15

First Frost: Aug 15

For experienced gardeners: melons, cucumbers, summer squash and winter squash, can be started indoors 2-3 weeks ahead of desired transplant time.